

SONEIL ELECTRONICS

Quality, Efficiency, Performance

Compact

Digital



High Frequency

Wi-Fi



Customizable

High Quality

“A CHARGER FOR EVERYONE”



www.soneil.com



Head Office

3-180 Advance Blvd., Brampton, Ontario, Canada, L6T 4J4

Tel. +1 905 565 0360, Fax +1 905 799 6821

Email: info@soneil.com


UK Office

187 Shakespeare Ave, Hayes, Middlesex UB4 OBH

Tel. +44 0 772 555 2917, Fax +44 0 208 573 6717

Email: info@soneil.com


SIZE SHAPE



T1 T2

0.8 lbs
0.36 kg

L 120MM (4.7") x W 70MM (2.8") x H 41MM (1.6")


C1 



1.6 lbs
0.73 kg

L 175MM (6.9") x W 78MM (3.1") x H 54MM (2.1")


C2



3.6 lbs
1.61 kg

L 226MM (8.9") x W 105MM (4.1") x H 54MM (2.1")

C3



1.4 lbs
0.64 kg

L 125MM (4.9") x W 130MM (5.1") x H 60MM (2.4")


C4



1.8 lbs
0.83 kg


L 180MM (7.1") x W 94MM (3.7") x H 46MM (1.8")


C5



0.4 lbs
0.19 kg

L 94MM (3.7") x W 47MM (1.85") x H 51MM (2.0")

C6 



2.6 lbs
1.2 kg

L 145MM (5.7") x W 134MM (5.3") x H 63MM (2.5")


C7



1.5 lbs
0.68 kg

L 165MM (6.5") x W 80MM (3.2") x H 52MM (2.0")


C8



2.76 lbs
1.25 kg

L 190MM (7.4") x W 105MM (4.1") x H 54MM (2.2")


C9



0.8 lbs
0.35 kg


L 109MM (4.3") x W 60MM (2.4") x H 30MM (1.2")


C10



3.8 lbs
1.74 kg

L 187MM (7.4") x W 142MM (5.6") x H 65MM (2.6")


C11 



0.3 lbs
0.14 kg

L 93MM (3.6") x W 44MM (1.7") x H 56MM (2.2")

C12



0.7 lbs
0.33 kg

L 106MM (4.2") x W 58MM (2.3") x H 30MM (1.2")


C13



5.4 lbs
2.47 kg

L 259MM (10.2") x W 112MM (4.4") x H 86MM (3.4")

C14



1.3 lbs
0.61 kg

Retail Package

VOLTAGE & CURRENT



12V

24V

36V

MODEL	VOLTAGE	CURRENT	CODE
CS1202SR	12V	1A	C12
1202SR	12V	1A	C6
1205SRP	12V	1A	C1-T2
1204SR	12V	2A	C6
1205SRJ	12V	3A	C1-T2
1206SX/RX	12V	3A	C1-T1
1207SR	12V	4A	C1-T2
1212SR	12V	5A	C5
1220SR	12V	10A	C2
CS1220SR	12V	10A	C4
1230SR	12V	15A	C3
1240SR	12V	20A	C3
CS1240SR	12V	20A	C7

MODEL	VOLTAGE	CURRENT	CODE
2401SRM	24V	0.5A	C6
2403SRM10	24V	0.5A	C1-T2
2402SRM	24V	1A	C6
2403SRP	24V	1A	C1-T2
2403SRM20	24V	1A	C1-T2
2403SRN	24V	1.5A	C1-T2
2403SRM30	24V	1.5A	C1-T2
2403SRL	24V	2A	C1-T2
2403SRM40	24V	2A	C1-T2
2404S/SR	24V	2A	C13
2404SX/RX	24V	2A	C1-T1
2408S/R	24V	3A	C5
2408SRF	24V	4A	C5
2409SR	24V	4A	C8
2410S/R	24V	5A	C10
2410SR	24V	5A	C2
CS2410SR	24V	5A	C4
2412SRF	24V	6A	C5
2416SR02	24V	8A	C9
2416SRM08	24V	8A	C11
2418SR	24V	8A	C2
CS2420SR	24V	10A	C7
2424SR04	24V	12A	C9
2424SR24	24V	12A	C3
2440SR24	24V	15A	C3
2460SR24	24V	30A	C14

MODEL	VOLTAGE	CURRENT	CODE
CS3603SR	36V	1.2A	C1-T2
3605S	36V	2A	C8
3606SR	36V	3A	C2
3610SRF	36V	4.5A	C5
3616SR02	36V	8A	C9
3616SR16	36V	8A	C3
3624SR16	36V	10A	C3

48V, 60V & 72V

MODEL	VOLTAGE	CURRENT	CODE
4804SR	48V	2A	C2
4807S	48V	3A	C10
4807SR	48V	3A	C2
4808SRF	48V	3.5A	C5
4812SR12	48V	6A	C9
4816SR16	48V	7.5A	C3
4836SR36	48V	20A	C14
5807SR	60V	5A	C3
7203SR	72V	1.2A	C8

ACI Chargers (Retail Packages)

MODEL	VOLTAGE	CURRENT	CODE
604CC/WB	6V	2A	C12
1202CC/WB	12V	1A	C12
1206S60CC/WB	12V	3A	C1-T1
1214CC/WB	12V	7A	C8
2404S40CC/WB	24V	2A	C1-T1

MEDICAL

2401SRM	24V	0.5A	C6
2403SRM10	24V	0.5A	C1-T2
2402SRM	24V	1.0A	C6
2403SRM20	24V	1.0A	C1-T2
2403SRM30	24V	1.5A	C1-T2
2403SRM40	24V	2.0A	C1-T2
2416SRM08	24V	8.0A	C11

CHARGERS

FOR CUSTOM OPTIONS OR GENERAL INQUIRIES
PLEASE EMAIL

info@soncil.com

"We appreciate your feedback and happy to assist you"



DIGITAL



Wi-Fi



Soneil Electronics battery chargers are built to perform with quality and control. We strive to design the best in class products that satisfy the demand and requirements of your electrical application.

Chargers Characteristics: Compact Size, Speed, Long Lifespan, Durability, Efficiency, Robust, and Universal Range.

Charging Industries (OEMs): Material Handling, Floor Cleaning Machines, Rehabilitation, Electric Vehicles, Wheel Chairs & Scooters, Recreation & Entertainment, and much more.

Charger Approvals: UL, cUL, FCC, PSE, TUV, GS, RoHS, RCM, BFP, DOE, CE Standards.

Charger Protection Technology: Reverse Polarity, Over-Voltage, Over-Current, Short Circuit.



Other Soneil Products




Special AGM Battery



Battery Gauges



Lithium Battery



Corporate Office



3-180 Advance Blvd., Brampton, Ontario, Canada, L6T4J4

Tel +1 905 565 0360
Fax +1 905 799 6821
info@soneil.com

United Kingdom Office



187 Shakespeare Ave, Hayes, Middlesex, UB40BH

Tel +44 (0)772 555 2917
info@soneil.com


Australia Office



4, Highdale Terrace, Glenmore Park, Sydney, NSW 2745, Australia.


Tel +61 450 049 013
info@soneil.com

China Office



A5 Area, Long Sheng Business Building, No. 402 Heping Road, Long Hua District, Shenzhen, 518109, P. R. China.

Tel +86-755-27806320
info@soneil.com



VISIT US

@



WWW.SONEIL.COM